



SAFETY DATA SHEET

Page 1 of 4

RODEX WAX BLOCK (HSE No. 8613)

Revision 3
Revision date 5-Feb-2008

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name RODEX WAX BLOCK

Company PelGar International Ltd
Unit 13 Newman Lane Industrial Estate
Newman Lane
Alton Hampshire
GU34 2QR
philip@pelgar.co.uk
www.pelgar.co.uk

Telephone Tel +44 (0) 1420 80744

Fax Fax +44 (0) 1420 80733

Emergency telephone number Tel +44 (0) 1420 80744

Product code 702.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

| | Conc. | CAS | EINECS | Symbols/Risk phrases |
|-------------------|--------|------------|-----------|--|
| Propane-1, 2 diol | 1-10% | 57-55-6 | 200-338-0 | |
| Flour | 20-30% | | | |
| Starch | 0-0.5% | 9005-25-8 | | |
| Sugar (Sucrose) | 1-10% | 57-50-1 | | |
| Bromadiolone | 0-0.5% | 28772-56-7 | 249-205-9 | T+;R27 T+;R28 T;R48/24 T;R48/25 N;R50/53 |
| Grain | 20-30% | | | |
| 2-Chloracetamide | 0-0.1% | 79-07-2 | 201-174-2 | Repr Cat 3; R62 T; R25 R43 |

3. HAZARDS IDENTIFICATION

Main hazards The preparation is non-dangerous in accordance with Directive 1999/45/EC. Contains chloracetamide, may produce an allergic reaction. Harmful to Wildlife. Wild mammals and birds may be at greater risk if the product is not used in accordance with its label.

RODEX WAX BLOCK

Revision 3
Revision date 5-Feb-2008

4. FIRST AID MEASURES

| | |
|----------------------------|---|
| Skin contact | May cause skin irritation in susceptible persons. Remove contaminated clothing. Wash off immediately with plenty of soap and water.. If irritation persists obtain medical attention. Contaminated clothing should be washed and dried before re-use. |
| Eye contact | May cause irritation to eyes. Seek medical attention if irritation or symptoms persist. Wash with water. |
| Inhalation | Unlikely to present an inhalation hazard as the product is supplied as a solid block. Move the exposed person to fresh air. Obtain medical advice immediately. |
| Ingestion | If swallowed, seek medical advice immediately and show this container or label. |
| General information | In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). ADVICE FOR DOCTORS: Bromadiolone is an indirect anti-coagulant. Phytomenadione, Vitamin K1, is antidotal. Determine prothrombin times not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time. |

5. FIRE FIGHTING MEASURES

| | |
|-----------------------------|--|
| Extinguishing media | Keep fire exposed containers cool by spraying with water if exposed to fire. Carbon dioxide, alcohol resistant foam, dry chemical. Use extinguishing media appropriate to the surrounding fire conditions. |
| Fire hazards | This product contains paraffin wax, which is combustible and vapours from molten wax are flammable. |
| Protective equipment | In the event of fire, wear self-contained breathing apparatus, suitable gloves and boots. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|----------------------------------|---|
| Personal precautions | Wear suitable protective clothing, gloves and eye/face protection. See section 8. |
| Environmental precautions | Prevent further leakage or spillage if safe to do so. |
| Clean up methods | Clean up promptly by sweeping. Transfer to a suitable labelled container. Subsequently, wash the contaminated area with water, taking care to prevent the washings entering sewers or drains. |

7. HANDLING AND STORAGE

| | |
|---------------------|--|
| Handling | Avoid contact with skin and eyes. Contains chloracetamide, may produce an allergic reaction. Avoid dust formation. Do not eat, drink or smoke when handling this product.. Always use good personal hygiene procedures when handling chemicals. Wash hands and face before eating, drinking or smoking. Read the label before use. Unlikely to produce dust as the product is a wax block. |
| Storage | Keep in a cool, dry, well ventilated area. Keep out of the reach of children. Keep away from food and animal feedstuffs. Keep away from oxidising agents. |
| Specific use | Ready for use rodenticide containing 50 ppm bromadiolone. |

RODEX WAX BLOCK

Revision 3
Revision date 5-Feb-2008

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

| | | |
|---|--|--|
| Propane-1, 2-diol particulates | WEL 8-hr limit ppm: - WEL 15 min limit ppm: - | WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: - |
| Propane-1, 2-diol total vapour and particulates | WEL 8-hr limit ppm: 150 WEL 15 min limit ppm: - | WEL 8-hr limit mg/m3: 474 WEL 15 min limit mg/m3: - |
| Flour and Grain dust | WEL 8-hr limit ppm: WEL 15 min limit ppm: | WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: |
| Starch respirable | WEL 8-hr limit ppm: - WEL 15 min limit ppm: - | WEL 8-hr limit mg/m3: 4 WEL 15 min limit mg/m3: - |
| Starch total inhalable | WEL 8-hr limit ppm: - WEL 15 min limit ppm: - | WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: - |
| Sugar (Sucrose) | WEL 8-hr limit ppm: - WEL 15 min limit ppm: - | WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: 20 |

Respiratory protection Unlikely to present an inhalation hazard. If levels approach the WEL, then suitable approved respiratory protection should be worn.

Hand protection Impervious gloves.

Eye protection Not required.

Protective equipment Impervious clothing, boots.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--------------------|------------|
| Description | Wax Block. |
| Colour | Red. |
| Odour | Slight. |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Stability | Stable under normal conditions. |
| Conditions to avoid | Heat, sparks and open flames. |
| Materials to avoid | Oxidising agents. |
| Hazardous decomposition products | Combustion or thermal decomposition will produce toxic and irritant fumes. |

11. TOXICOLOGICAL INFORMATION

| | |
|-----------------------------|---|
| Acute toxicity | ORL RAT LD50 approx 20g/Kg (calculated). |
| Corrosivity | No irritation expected. |
| Sensitization | Grain Dust and flour dust are respiratory sensitizers causing asthma. As the product is a wax block, it is unlikely to cause any problems. Contains chloracetamide, may produce an allergic reaction. |
| Mutagenic effects | No evidence to suggest anticoagulant rodenticides are mutagenic. |
| Carcinogenic effects | No evidence to suggest anticoagulant rodenticides are carcinogenic. |

12. ECOLOGICAL INFORMATION

| | |
|--------------------|---|
| Ecotoxicity | As the product contains 50ppm bromadiolone, unlikely to be hazardous to aquatic life. Harmful to wildlife. Read all precautions before use. |
|--------------------|---|

RODEX WAX BLOCK

Revision 3
Revision date 5-Feb-2008

13. DISPOSAL CONSIDERATIONS

| | |
|------------------------------|--|
| General information | Dispose of in compliance with all local and national regulations. |
| Disposal of packaging | Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. |

14. TRANSPORT INFORMATION

Not classified as dangerous for transport.

15. REGULATORY INFORMATION

| | |
|---|---|
| Labelling | Covered by the Control of Pesticides Regulations (1986). It has been labelled in accordance with those regulations. |
| Statutory Conditions relating to use | The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Avoid all contact by mouth. Prevent access to bait by children, birds and non-target animals, particularly dogs, cats, pigs and poultry. Do not place bait where food, feed, or water could become contaminated (except when used in sewers). Search for and remove rodent bodies at frequent intervals during treatment, ideally at each bait inspection, (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers). You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance contact the Environmental Agency or your local Scottish Environmental Protection Agency (SEPA) office. This product contains substances which are known to be hazardous to the environment. Do not contaminate waterbodies or watercourses with chemicals or the used container. Harmful to wildlife. READ ALL PRECAUTIONS BEFORE USE. |

Text of risk phrases in Section 2

16. OTHER INFORMATION

| | |
|--------------------------------|---|
| Replaces Restricted use | R25 - Toxic if swallowed. R27 - Very toxic in contact with skin. R28 - Very toxic if swallowed. R43 - May cause sensitisation by skin contact. R48/24 - Toxic: danger of serious damage to health by prolonged exposure in contact with skin. R48/25 - Toxic: danger of serious damage to health by prolonged exposure if swallowed. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. ready for use rodenticide containing 50 ppm bromadiolone. |
| Data sources | Safety Data Sheet Replaces revision 2. Changes to section 1, 2, 3, 4, 7, 8, 11, 15, 16 R62 - Possible risk of impaired fertility New material suppliers Safety Data Sheets, CHIP 2002, EH40 |